



# M210 M211

**LABEL PRINTER LABEL PRINTER**

---

**Powerful productivity for the jobsite**



DESIGN. PREVIEW. PRINT. ALL FROM YOUR PHONE.

# THE M211



## PRINTING OPTIMISED FOR MOBILE



DESIGN ON YOUR SMART DEVICE



PRINT ON DEMAND VIA BLUETOOTH



LABEL ON SITE



## Unique features

- ▶ 20+ barcode/QR code types, 85 fonts and over 1,400 symbols
- ▶ Resists 1.8 m drops, 115kg crushes and military-grade shocks
- ▶ 90+ cartridges and 12 material types
- ▶ Keep work moving with label design guides
- ▶ Prints up to 300 labels on a full charge with an internal Li-Ion battery
- ▶ Auto label cutter

## Label output

- ▶ **Speed:** Prints up to 100 labels / day at 15.2 mm per second
- ▶ **Quality:** 203 dpi print resolution

## KITS AND ACCESSORIES TO STREAMLINE WORKFLOWS



## Enjoy a more premium labelling experience with optimised Brady Authentic materials

Authentic materials work seamlessly with Brady printers to produce enhanced performance and reliability you just don't get with materials from the others. We've got you covered with the widest range of colours, finishes and targeted applications in the industry. Get authentic. Get better with Brady.

Get more done all day long with 300 label prints from one full battery charge



Fast and dependable Bluetooth connection

Tough, industrial labeler designed to survive and thrive on any worksite



**Belt clip**  
Provides hands-free transport



**Faster changeovers**  
Simple all-in-one, drop-in cartridges


## Express Labels Mobile App

Create and customise labels for any job, anywhere.

- ▶ Save label files for faster labelling on the go
- ▶ Build a bridge between the office and the jobsite - push label files, access them via the cloud or email, text message and more, then print them onsite
- ▶ 20+ barcode types
- ▶ 85+ fonts
- ▶ 1400+ symbols
- ▶ Get real-time printer status - battery life, remaining materials
- ▶ 10+ industry-specific label design guides



To download the app or learn more, visit [bradyeurope.com/expresslabels](http://bradyeurope.com/expresslabels)




## Brady Software Development Kit

One simple integration to print from your software

- ▶ Employees can use their own Android or iOS web-based software apps to print labels for a seamless way to get data to a Brady printer
- ▶ The SDK Library connects, retrieves, monitors and supports data for faster and more efficient workflows
- ▶ A versatile technology that can be used with select Brady Bluetooth-enabled printers




Scan or click to see how Brady can help





# MEET THE DEMANDS OF ON-SITE LABELLING

# THE M210



## PRINT THE WAY YOU WORK



CUSTOM DESIGN GUIDES



CHOOSE FROM 90+ EASY-TO-LOAD CARTRIDGES



BUILT TO WITHSTAND TOUGH JOBSITES

### Unique features

- ▶ Auto-format labels with 11 pre-loaded application design guides for rapid and accurate label creation
- ▶ Military-grade shock and vibration resistance, drop tested to withstand the roughest job sites
- ▶ Easy-to-access hot key and menus for fast label creation, on-board symbols and the ability to store 12 label files up to 2MB
- ▶ Ability to create UPC, DataMatrix and QR Codes
- ▶ Onboard label material gauge tracks the amount of material left in the cartridge

### Label output

- ▶ **Speed:** Prints up to 100 labels / day at 10.2 mm per second
- ▶ **Quality:** 203 dpi print resolution

## KITS AND ACCESSORIES TO STREAMLINE WORKFLOWS

M210 Label Printer with accessories kit



Multifunctional Accessory



Belt Clip



Rechargeable Battery Pack



Hard Case



### Enjoy a more premium labelling experience with optimised Brady Authentic materials

Authentic materials work seamlessly with Brady printers to produce enhanced performance and reliability you just don't get with materials from the others. We've got you covered with the widest range of colours, finishes and targeted applications in the industry. Get authentic. Get better with Brady.



Works with easy-to-load continuous and pre-sized label cartridges in 12 materials

Holds on to label after cutting

Banner Landsc  
Panel-Resident  
WireMarker  
9 pt

M210



Auto-formats labels for common applications

100+ symbols and font size up to 40 points

Passes military standard shock and vibration testing



Provides a backlit LCD display



Features an ergonomic, center-balanced design



Easy and fast communication between cartridge and printer

# How do pre-sized labels change the game?

- ▶ Print on the full label and minimize wasted label space
- ▶ Rounded corners compared to cutting continuous
- ▶ Consistent sizing from one label to the next




	Wire & Cable	Electrical & Datacom	Laboratory	General ID	Pre-sized Labels Available
<b>B-109</b> White polyethylene tag material with matt finish. Excellent multi-purpose tag for identifying multiconductor cables, inventory, safety warning repair and work-in-processing manufacturing. Good weatherability, humidity resistance and legibility after solvent exposure.	★				
<b>B-342</b> PermaSleeve® Heat-shrink sleeves, provide a wire marking solution that combines speed, ease of use, and permanence to create long-lasting, high quality identification.	★	★			
<b>B-403</b> The water dissolvable paper label is self-adhesive and extremely easy to apply. Exposing the label to warm water will completely dissolve it within 30 seconds, without damage to the surface it was applied to, and without leaving any residue. It reduces the labour required to remove labels, reduces maintenance to filters and drains and enables easy re-identification of reusable items in a range of industries.			★		
<b>B-414</b> Get a grip on your wire and cable identification – Brady and VELCRO® Brand have partnered to bring you BradyGrip™ Print-on Hook Material, an exclusive print-and-place material that can be easily applied, repositioned or removed.	★	★			
<b>B-423</b> White glossy polyester with permanent adhesive. Can be used for component identification, bar code labeling, rating plates and solar panel identification.	★	★	★	★	✓
<b>B-427</b> Brady's self-laminating label includes a printable zone and a translucent, self-adhesive laminate that is wrapped around a cable.	★	★	★		✓
<b>B-430</b> Clear glossy polyester with permanent adhesive. Can be used for rating and serial plates using alphanumeric, barcodes, graphic symbols and logos that require name plate quality.	★	★	★	★	
<b>B-461</b> Printable high-performance laboratory self-laminating polyester. Ultra-thin construction prevents jamming in racks & centrifuge. Suitable for liquid nitrogen application if material is wrapped around itself.			★		
<b>B-483A</b> Tough polyester material that resists abrasions and solvents such as fuel, oil and water. Made with an ultra-aggressive rubber-based adhesive.	★				✓
<b>B-488</b> Solvent-resistant, white matte polyester with permanent adhesive.		★	★	★	
<b>B-499</b> Continuous, narrow nylon cloth strips for alignment on terminal blocks. The printer's terminal block mode allows for user-specified spacing.	★	★	★	★	✓
<b>B-581</b> Repositionable Vinyl Film (B-581) is a durable, flexible, high-gloss material ideal for indoor/outdoor marking where frequent repositioning is required.				★	
<b>B-595</b> B-595 vinyl will adhere to difficult low surface energy items, including: PVC piping, blow-molded equipment cases, ABS plastics, powder-coated surfaces and equipment made from recycled plastics. The B-595 material also excels at sticking to highly textured surfaces such as painted cinder block walls, finished uneven wood, textured plastics, rough-pipes and paper-jacketed pipes.		★	★	★	
<b>B-7425</b> B-7425 polypropylene - economical white material with chemical and high-temperature resistance.			★		




**Enjoy a more premium labelling experience with optimised Brady Authentic materials**

Authentic materials work seamlessly with Brady printers to produce enhanced performance and reliability you just don't get with materials from the others. We've got you covered with the widest range of colours, finishes and targeted applications in the industry. Get authentic. Get better with Brady.


## Voice & datacom identification



Cable flags



Punch block & patch panel labels



Self-laminating cable markers



Continuous vinyl material




PermaSleeve wire marking sleeves



BradyGrip print-on hook material

## Electrical identification



Terminal block markers



Control panel & electrical panel labels

## Facility & safety identification



Indoor / outdoor grade facility & safety labels



Warehouse identification



General industrial labels



### Self-laminating vinyl wire and cable labels (B-427)

Labels feature a clear, non-printable area that wraps around the print-on area to protect text. Vinyl material offers superior resistance to solvents, oil, grease, dirt and water. Temp. range: -40° C to 70° C. UL recognised.










Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Label Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Labels per Roll	Max. Wire Diameter (mm)
B-427: Self-laminating Vinyl									
	M21-11-427	Black on White	12.70		19.05	12.70	9.53	150	5.05
	M21-750-427	Black on White	19.05	4.30 m	–	9.53	–	1	3.00
	M21-1000-427	Black on White	25.40	4.30 m	–	9.53	–	1	5.10
	M21-18-427	Black on White	25.40		19.05	25.40	9.53	121	5.05
	M21-1250-427	Black on White	31.75	4.30 m	–	12.70	–	1	5.70
	M21-1500-427	Black on White	38.10	4.30 m	–	12.70	–	1	8.10



### Nylon cloth wire and cable labels (B-499)

The labels wrap around wires and are highly pliable, conforming to tightly curved surfaces. When in wire marker mode, text auto-repeats on the label. Labels can also be used for flagging with the flag mode. Pre-sized labels will allow for Consistent sizing from one label to the next.












Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Label Height B (mm)	Labels per Roll
B-499: Nylon Cloth						
	M21-375-499	Black on White	9.53	4.88 m	–	1
	M21-500-499	Black on White	12.70	4.88 m	–	1
	M21-750-499	Black on White	19.05	4.88 m	–	1
	M21-11-499	Black on White	19.05		12.70	140
	M21-131-499	Black on White	25.40		12.70	121
	M21-18-499	Black on White	25.40		19.05	121
	M21-136-499	Black on White	38.10		19.05	91
	M21-137-499	Black on White	50.80		19.05	73



### QuickFlag Tapered Wire and Cable Flag Labels (B-483)

Specialised — Patent pending designed with a tapered adhesive side to create easy-to-apply one-sided wire and cable flags without mismatched edges or exposed adhesive





Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Printable Area Height PH (mm)	Printable Area Width PW (mm)	Labels per Roll
B-483A: Polyester							
	M21-223-483	Black on White	19.05	25.4	19.05	19.05	80



### BradyGrip print-on hook material (B-414)

BradyGrip Print-on Hook Material is a one-of-a-kind solution that allows identification to be easily printed and placed on bundles. A grippy backing makes it easy to reposition or remove, so no need for costly rework. Just print on and place – it's that simple.







Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Recommended Velcro® One-Wrap® size range to use with BradyGrip™ (mm)	Labels per Roll
B-414: Polyester						
	M21-250-414	Black on White	6.35	3.048 m	10 - 13	1
	M21-500-414	Black on White	12.70	3.048 m	13 - 16	1
	M21-750-414	Black on White	19.05	3.048 m	20 - 50	1



## PermaSleeve PS heat-shrink wire markers (B-342)

Military/industrial grade sleeves offer the ultimate in marker durability, permanence and aesthetic appearance. 3:1 heat-shrinkable markers fit snugly around wires, are fade-resistant and flame-retardant. Temp range: -55° C to 135° C. RoHS compliant and UL recognised.

### Meets specifications:

SSAE-AS-23053/5  
SAE-AS-81531

### Tested per:

ASTM E162  
ASTM E662  
MIL-STD-202





Diagram	Order Reference	Colour	Label Height B (mm)	Label Length B (m)	Labels per Roll	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)
B-342: Heat-shrink Polyolefin							
	M21-125-C-342	Black on White	5.97	2.13	1	1.17	2.79
	M21-187-C-342	Black on White	8.51	2.13	1	1.57	3.81
	M21-250-C-342	Black on White	11.15	2.13	1	2.39	5.46
	M21-375-C-342	Black on White	16.38	2.13	1	3.18	8.13
	M21-125-C-342-YL	Black on Yellow	5.97	2.13	1	1.17	2.79
	M21-187-C-342-YL	Black on Yellow	8.51	2.13	1	1.57	3.81
	M21-250-C-342-YL	Black on Yellow	11.15	2.13	1	2.39	5.46
	M21-375-C-342-YL	Black on Yellow	16.38	2.13	1	3.18	8.13

## Multi-Purpose Tear-Resistant Tags

Tag multiconductor cables and other equipment with the B-109 durable non-adhesive polyethylene tag material.

- Versatile - Excellent for identifying multiconductor cables and wire bundles.
- Durable - Tear-resistant and able to withstand extreme temperatures and harsh weather conditions.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Printable Area Width PW (mm)	Labels per Roll
B-109: Polyethylene						
	M21-224-109	Black on White	21.34	4.88 m	12.70	1

## Patch panel adhesive strips (B-499/B-595)

Continuous material for port identification features user-specified spacing when using patch panel mode.

- B-499 permanent nylon cloth - Durable industrial strength material designed to conform to curved or flat surfaces.
- B-595 permanent vinyl - Very pliable, suitable for rough surfaces and outdoor use. Offers excellent resistance to oils, detergents, dirt, grime and many solvents.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Labels per Roll
B-499: Nylon Cloth					
	M21-375-499	Black on White	9.53	4.88	1
	M21-500-499	Black on White	12.70	4.88	1
B-595: Vinyl					
	M21-375-595-WT	Black on White	9.53	6.40	1
	M21-500-595-WT	Black on White	12.70	6.40	1

## Terminal block adhesive strips (B-499)

Continuous, narrow nylon cloth strips for alignment on terminal blocks. The printer's terminal block mode allows for user-specified spacing.





Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Labels per Roll
B-499: Nylon Cloth					
	M21-375-499-TB	Black on White	9.53	4.88	1
	M21-500-499-TB	Black on White	12.70	4.88	1



## Polyester labels for inside panel markings and general identification (B-423, B-430 and B-488)

- B-423: white glossy polyester with permanent adhesive.
- B-430: clear glossy polyester with permanent adhesive.
- B-488: solvent-resistant, white matte polyester with permanent adhesive.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Label Height B (mm)	Labels per Roll
<b>B-423: Polyester</b>						
⊙	M21-250-423	Black on White	6.35	6.40	–	1
⊙	M21-375-423	Black on White	9.53	6.40	–	1
⊙	M21-500-423	Black on White	12.70	6.40	–	1
⊙	M21-750-423	Black on White	19.05	6.40	–	1
▲	M21-7-423	Black on White	19.05	–	12.70	140
▲	M21-17-423	Black on White	25.40	–	12.70	121
▲	M21-18-423	Black on White	25.40	–	19.05	121
▲	M21-30-423	Black on White	38.10	–	19.05	91
▲	M21-137-423	Black on White	50.80	–	19.05	73
<b>B-430: Polyester</b>						
⊙	M21-250-430	Black on Transparent	6.35	6.40	–	1
⊙	M21-375-430	Black on Transparent	9.53	6.40	–	1
⊙	M21-500-430	Black on Transparent	12.70	6.40	–	1
⊙	M21-750-430	Black on Transparent	19.05	6.40	–	1
⊙	M21-250-430-WT-CL	White on Transparent	6.35	6.40	–	1
⊙	M21-375-430-WT-CL	White on Transparent	9.53	6.40	–	1
⊙	M21-500-430-WT-CL	White on Transparent	12.70	6.40	–	1
⊙	M21-750-430-WT-CL	White on Transparent	19.05	6.40	–	1
<b>B-488: Polyester</b>						
⊙	M21-375-488	Black on White	9.53	6.40	–	1
⊙	M21-500-488	Black on White	12.70	6.40	–	1
⊙	M21-750-488	Black on White	19.05	6.40	–	1



## Repositionable vinyl (B-581)

Best choice for indoor marking where frequent repositioning is required, such as shelves. Special adhesive allows easy removal of label to re-apply again and again.




Diagram	Order Reference	Colour	Label Width A (mm)	Roll length (m)	Labels per Roll
<b>B-581: Vinyl</b>					
⊙	M21-500-581-WT	Black on White	12.70	6.40	1
⊙	M21-750-581-WT	Black on White	19.05	6.40	1



## Indoor and outdoor vinyl labels for safety, facility and lean / 5S (B-595)

Continuous vinyl material ideal for lean/5S labels, pipe markers, equipment and production area identification. These labels offer excellent resistance to oils, detergents, dirt, grime and many solvents. Permanent adhesive, very pliable, suitable for rough surfaces and outdoor use.

- 8-10 years average outdoor durability\*
- Temp. range: -40° C to 82° C.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Labels per Roll
<b>B-595: Vinyl</b>					
⊙	M21-375-595-GY	Black on Grey	9.53	6.40	1
⊙	M21-500-595-GY	Black on Grey	12.70	6.40	1
⊙	M21-750-595-GY	Black on Grey	19.05	6.40	1
⊙	M21-375-595-OR	Black on Orange	9.53	6.40	1
⊙	M21-500-595-OR	Black on Orange	12.70	6.40	1
⊙	M21-750-595-OR	Black on Orange	19.05	6.40	1
⊙	M21-250-595-WT	Black on White	6.35	6.40	1
⊙	M21-375-595-WT	Black on White	9.53	6.40	1
⊙	M21-500-595-WT	Black on White	12.70	6.40	1
⊙	M21-750-595-WT	Black on White	19.05	6.40	1
⊙	M21-250-595-YL	Black on Yellow	6.35	6.40	1
⊙	M21-375-595-YL	Black on Yellow	9.53	6.40	1
⊙	M21-500-595-YL	Black on Yellow	12.70	6.40	1
⊙	M21-750-595-YL	Black on Yellow	19.05	6.40	1
⊙	M21-375-595-BK	White on Black	9.53	6.40	1
⊙	M21-500-595-BK	White on Black	12.70	6.40	1
⊙	M21-750-595-BK	White on Black	19.05	6.40	1
⊙	M21-375-595-BL	White on Blue	9.53	6.40	1
⊙	M21-500-595-BL	White on Blue	12.70	6.40	1
⊙	M21-750-595-BL	White on Blue	19.05	6.40	1
⊙	M21-375-595-BR	White on Brown	9.53	6.40	1
⊙	M21-500-595-BR	White on Brown	12.70	6.40	1
⊙	M21-750-595-BR	White on Brown	19.05	6.40	1
⊙	M21-375-595-GN	White on Green	9.53	6.40	1
⊙	M21-500-595-GN	White on Green	12.70	6.40	1
⊙	M21-750-595-GN	White on Green	19.05	6.40	1
⊙	M21-375-595-PL	White on Purple	9.53	6.40	1
⊙	M21-500-595-PL	White on Purple	12.70	6.40	1
⊙	M21-750-595-PL	White on Purple	19.05	6.40	1
⊙	M21-375-595-RD	White on Red	9.53	6.40	1
⊙	M21-500-595-RD	White on Red	12.70	6.40	1
⊙	M21-750-595-RD	White on Red	19.05	6.40	1

\* Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material colour. The 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary.

## ACCESSORIES TO STREAMLINE WORKFLOWS

Unlock the full potential of your label printer with our of convenient accessories from hands-free facilitators to organised storage and transportation solutions, designed to streamline your labeling workflow.

M210 & M211



### Magnet for hands-free operation

The magnet accessory offers a convenient option to attach your printer to panels, I-beams and any other magnetic-receptive surface.

M210 & M211



M211



### Belt clip & multifunctional accessory for hands-free transport

Easily attach your printer to your tool belt, cart, rack or bucket organiser with the belt clip or multifunctional accessory.

M211



### Power brick for power on the go

Use the high-capacity power brick for your printer, phone or tablet to keep everything running smoothly.

M210



### Rechargeable battery pack for longer battery life

Work longer and with cordless printer operation with the rechargeable battery pack.

M210



M211



### AC adapter for power when you need it

Power your printer without the need for recharging or replacing batteries.

M210 & M211



### Hard case & soft case for printer protection and storage

Protect your printer and keep accessories and label cartridges on hand and organised.



## Printer Specifications

Specifications	
Print Technology	Thermal Transfer
Print Resolution (dpi)	203
Print Speed (mm/sec)	15.24
Colour Capability	Monocolour
Continuous vs Die-cut Labels	Continuous Die-cut
Max. Label Width (mm)	19.05
Max. Print Length (mm)	914.40
Recommended Usage per Day	100
Stand-alone Printing (Detached from PC)	Mobile device connected
Connectivity Options	Bluetooth® 5 Low Energy (class II)
Software Compatibility	Express Labels mobile app*
Phones & Tablets Supported	Android devices with Android OS 5+ iPhone 5S or newer with iOS 10+
Bar Code Type	Over 20 barcode types available, including QR and Datamatrix, using Express Labels app.
Built-in Symbols	Over 1400 symbols across 18 categories available in the Express Labels app.
Physical Properties	
Width x Height x Depth (mm)	137.16 x 101.60 x 66.04
Weight (kg)	0.54
On Screen Indicators	LED light symbols show connection status, battery gauge and error messaging.
Cutter	Auto Cutter With label retention
Warranty	2 years
Drop Test	Resistant to 1.8 metre drops Resistant to 114 kg crushes Resistant to military-grade shocks (MIL-STD-810G)



\* Download the Express Labels mobile app:  
[www.brady.eu/software/express-labels-mobile](http://www.brady.eu/software/express-labels-mobile)

## M211 Label Printer

Article No.	Description
170381	M211 Printer - EMEA

This printer ships in a carton pack with M21-750-499 label cartridge, AC power cord with EU, UK and US plugs and Quick Start Guide.

## M211 Label Printer Kit

Article No.	Description
170390	M211 EMEA kit

This kit ships in a hard case with a M211 Printer, M21-750-499 Label Cartridge, Quick Start Guide, AC Power cord with EU, UK and US plugs, Belt Clip and Power Pack.

## Accessories

Article No.	Description
170385	M211 Belt Clip
170386	M211 Hard Case
170425	M211 Magnet Only Accessory
176499	M511 and M211 Power Brick
176501	M511 and M211 AC Adapter





## M210 Label Printer

Article No.	Description
152260	M210 Label Printer - Carton pack
152262	M210 Label Printer - Carton Pack - Russ

This printer ships in a carton pack with a Quick Start Guide and an M21-750-499 label cartridge.

## M210 Starter Kits

Article No.	Description
311307	M210 Printer kit EU
311310	M210 Printer kit RUSS
311308	M210 Printer kit UK
311309	M210 Printer kit US

This kit comes in a hard case holding an M210 Printer, a Li-ion Battery, a Power Cord and a M21-750-499 Label Cartridge

## M210 Application Kits

Article No.	Description
311311	M210 Electrical Kit EU
311317	M210 Electrical Kit Russ
311312	M210 Electrical Kit UK
311313	M210 Electrical Kit US
311314	M210 TeleDatacom Kit EU
311318	M210 TeleDatacom Kit Russ
311315	M210 TeleDatacom Kit UK
311316	M210 TeleDatacom Kit US

**Electrical Kit:** This kit comes in a hard case holding a M210 Printer, a Li-ion Battery, a Power Cord, M21-1000-427, M21-750-595-YL and a M21-750-499 Label Cartridge.

**TeleDatacom Kit:** This kit comes in a hard case holding a M210 Printer, a Li-ion Battery, a Power Cord, M21-1250-427, M21-250-423 and a M21-750-499 Label Cartridge.

## Accessories

Article No.	Description
110416	AC Adaptor, Europe 220V - M210
110417	AC Adaptor, UK 240V - M210
110937	AC Adaptor, US 110V - M210
150617	Protective softbag for portable printers - M210
170385	Belt Clip - M210
170420	Lithium-ion Battery Pack - M210
170421	Hard Case - M210
170424	Multifunctional Accessory - M210*
170425	Magnet Only Accessory - M210

\* Multifunctional accessory consists of Magnet, Flashlight, Stand, Belt loop and Pole strap. 2 AAA batteries required (not included).



## Printer specifications

Specifications	
Print Technology	Thermal Transfer
Print Resolution (dpi)	203
Print Speed (mm/sec)	10.00
Colour Capability	Monocolour
Continuous vs Die-cut Labels	Continuous Die-cut
Max. Label Width (mm)	19.05
Max. Print Length (mm)	914.40
Recommended Usage per Day	100
Stand-alone Printing (Detached from PC)	Stand-alone
Connectivity Options	None
Bar Code Type	Code 128, Code 39, Data Matrix, QR code
Symbol Categories	Arrows, Datacom, Electrical, Greek, Home Electrical, International, Miscellaneous, Warning
Physical Properties	
Width x Height x Depth (mm)	114.30 x 241.30 x 63.50
Weight (kg)	0.75
Keyboard Type	ABC, CYRILLIC
Display	Monocolour LCD Screen
Cutter	Single Hand Manual Actuate Straight Cut With label retention
Warranty	2 years
Drop Test	Resistant to 1.8 metre drops





**Belgium & Luxembourg**

+32 (0) 52 45 78 11  
benelux@bradycorp.com

**Czech Republic**

+420 776 302 229  
czechrepublic@bradycorp.com

**Denmark**

+45 66 14 44 00  
denmark@bradycorp.com

**France**

+33 (0) 3 20 76 94 48  
france@bradycorp.com

**Germany, Austria & Switzerland**

+49 (0) 6103 7598 660  
germany@bradycorp.com

**Hungary**

+36 23 500 275  
hungary@bradycorp.com

**Italy**

+39 02 26 00 00 22  
italy@bradycorp.com

**Netherlands**

+31 (0)70 323 62 98  
benelux@bradycorp.com

**Norway**

+47 70 13 40 00  
norway@bradycorp.com

**Poland**

+48 22 104 6262  
poland@bradycorp.com

**Qatar, Saudi Arabia & UAE**

+971 4881 2524  
me@bradycorp.com

**Slovakia**

+421 902 939 406  
slovakia@bradycorp.com

**South Africa**

+27 11 704 3295  
africa@bradycorp.com

**Spain & Portugal**

+34 900 902 993  
spain@bradycorp.com  
portugal@bradycorp.com

**Sweden, Finland, Estonia, Latvia,  
Lithuania**

+46 (0) 8 590 057 30  
sweden@bradycorp.com

**Turkey**

+90 212 264 02 20  
turkey@bradycorp.com

**UK & Ireland**

+44 (0) 1295 228 288  
uk@bradycorp.com

We make products that make the world a safer and smarter place. From the depths of the ocean to outer space, from the factory floor to the delivery room - **we're just about everywhere you look.**



To help minimise our impact on the environment, Brady limits its number of reprints.

Updated versions are always available for download on [bradyeurope.com/downloads](http://bradyeurope.com/downloads).



Search for: EUR-M-244-EN



Y5093785

Your distributor

01/10/2025